

LCD Splicing Display Unit

BDTSecureMW-A46-B1



Key Features

- High reliability integration design
- Built-in image splicing function
- Support special splicing compensation
- Support screen to prevent cauterizing, image flip
- Support white balance adjustment
- Support remote control and RS232 hoop control
- Support record and display working time on panel
- Support fast splicing unit ID, convenient for adjustment
- Supports double frame function
- Power delay function after power

- Stable running and low maintenance cost, supporting 24 hours continuous working

Specifications

Model	BDTSecureMW-A46-B1
Display	
Diagonal Size (inch)	46"
Backlight	LED (Direct type)
Physical Seam	3.5 mm
Resolution	1920×1080
Color	16.7M
Brightness	500 cd/m ²
Contrast	4000:1
Response Time	8 ms
Viewing Angle	Horizontal 178°, Vertical 178°
Interface	
Input Interface	1×VGA, 1×DVI, 1×HDMI
USB	1×USB
Control Interface	1×RS-232 IN, 1×RS-232 OUT, 1×IR
General	
Dimensions (W×H×D)	1022.28mm×576.87mm×125.45mm
Power Supply	100 to 240 VAC
Consumption	141.6 W
Weight	22.5 Kg
Operation Temperature	0°C ~ 40 °C
Operating Humidity	20%~90% (No Condensation)

Typical Application


Inside Splicing application mode

BDTSecureMW-A46-B1 support with DC5500 series HD DC match up, After decoding the image Mosaic display.

Outside Splicing application mode

BDTSecureMW-A46-B1, compatible with splicing control device of BDTSecure and main manufacturers, realize video splicing display after decoding media stream by IP and signal output from workstation.

Dimensions



Order Information

Model	Remake
BDTSecureMW-A46-B1	LCD Splicing Display Unit
46 Inch Split Screen Vertical Support Bracket Unit-3.5(Modularization Floor Mounting)	optional
46 Inch Split Screen Vertical Support Bracket Base-3.5-H60(Modularization Floor Mounting)	optional
46 Inch Split Screen Vertical Support Bracket Base-3.5-H80(Modularization Floor Mounting)	optional
46 Inch Split Screen Vertical Support Bracket Base-3.5-H90(Modularization Floor Mounting)	optional
46 Inch Split Screen Vertical Support Bracket Base-3.5-H100(Modularization Floor Mounting)	optional
46 Inch Split Screen Vertical Support Bracket Base-3.5-H110(Modularization Floor Mounting)	optional

“Your Reliable Integrated Video Surveillance Solutions Provider”

Shenzhen Starlink Technology Co.,Ltd

1811, Block A, Zhantao Technology Building, Longhua District, Shenzhen, P.R.China 518131

Email: info@qixingtechnology.com; qixing@qixingtechnology.com

https://www.qixingtechnology.com

©2009-2018 Shenzhen Starlink Technology Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.